



Township / Range Lines: East line of Ranges 1E to 11E in Townships 17N & 18N



Indiana Historical Land Survey Documents project - LW & CJH, 2021
Surveyed: 11/1819

(2)

Book 2^d

containing the
North Lines

of
Townships 17

from the Line of
Correction

East the Meridian

2 + 39

S

~~N 6° 10'~~
North Between R 18227

17 N Sections 31838

" 30 Brook 15 lks E

20 88 Hickory 14 lks

40 00 Let 1/2 Section from
from which Hornbeam
S S 28 N 9 lks E

Ash 4 N 47 E 9 lks

56 19 Hickory 12 lks

80 00 Let port corner of Section

25838 T 17 N R 1 E

from which a Buck

12 S 75 E 22 & Oak

22 N 52 W 18

over civil land
Timber Buck Oak Hickory
under species

North Between R 18228

T 17 N Sections 25830

23 30 N Oak 22 lks

40 00 Let 1/2 port from which
an Oak 15 S 4 N 17
& Ash 7 N 36 E 16

55² 77 W Oak 24 hrs

80 00 Set post corner of S
24 & 35 S 17 N R 1 E
from which an Elm
10 N 74 E 17 links &
as S 86 N 18 E
Set land & Timber as
before.

North Between R 182 E
S 17 N Section 19 & 24

20 41 W Oak 30 hrs

40 00 Set 1/2 S post from
which a Beech & S
25 N 21 E as 15 S 47
E 11 links

66 55 My. arrow 30 hrs

80 00 Set post corner of Section
13 & 24 S 17 N R 1 E from
which an Elm 20 hrs
S 10 E 32 links & Ash
8 N 10 E 21 links
Set land & Timber
as before

North between R 182³⁰
T 17 & Section 13818

2523 Poplar 20

40 00 Set 1/2 Spot from
which a Hornbeam 8

S 45 W 14 & Oak 30

N 4 W 12 links

80 00 Set post corner of Section

13812 T 17 N R 12

from which a Sugar

12 N 83 E 10 & ~~Cherry~~

Ash 13 N 71 E 20

3000 as before

North between R 182³⁰

T 17 & Section 7812

1826 N Oak 40 hrs

40 00 Set 1/2 Section post

from which an Ash 14

S 78 W 19 links

5570 Walnut 30 hrs

8000⁴ Sit part corner of
Sections 18 12 17
at R 1 E from which
a Lycaenore 30 hrs
S 20 E 1.8 Beech
14 A 25 E 3.9 limbs
Bever as before

North Patience 2 18 2 E.
L 17 18 Sections 18 6

4000 Sit $\frac{1}{2}$ Section part
from which a Hickory
14 S 30 W 20 4
Oak 24 A 30 E 23

8047 Sit part corner of
L 17 18 R 18 38
Sections 16 31 36
from which a Sugar
12 S 22 E 4 Beech
10 A 18 W 29 lbs
Bever as before
October 29th 1819
James A. McDonald

Mar. 5.35

5

North B. & W. Range 2 & 36
T 17 & 17. Sections 31 & 36

14.75 Sugar 14 inches diam

29.14 Brook 10 links S. W.

40.00 Set half mile post
from which 15 inches
diam bears N 13 E 11
links 20 15 inches di-

48.95 white oak 24 inches diam

65.88 Red oak 36 inches diam

80.00 Set post from which a

Hickory 12 inches diam

bears S 25 E, 16 links

and beech 10 inches diam

bears S 25 W, 36 links

Good farming land, tim-

ber oak beech & Hick-

ory & undergrowth fine

Between sections 25 &

30 T 17 & 17. R 2 & 36

18.18 White walnut 18 inches

35.81 Beech 12 inches diam

40.00 Set half mile post
 from which a Beech
 6 In diam bears 8 7/8
 or 7 links and a Hick-
 ory 4 In diam bears
 5 6 5 8, 11 links —

53.31 Iron Beech 4 In diam
 72.75 Brook & link running
 8 m

80.00 Set post for corner
 of sections 24 & 25 T17
 or R 2 & from which
 a Beech 14 In diam
 bears 5 6 8 13 links
 and so 6 In diam
 bears 5 8 2 m 3 7/8

Rich land, timber Beech
 Ash & Sugar & under
 growth spice &c

Between sections 19
 & 24 T17 or R 236

12.49 a Beech 6 In diam

30.5 a Beech 8 In diam

40.00 Set half mile post
 from which horn beam

5 In diam bears 28 2/3
w 15 lks and a beech
10 In diam bears 56 2/3
E 16 lks

55 5/4 a Beech 10 In diam
80.00 Set post for corners of
Sections 13 & 24 of 1708
R 2 E from which a
horn beam 6 Indian
bears 28 2/3 E, 21 lks
and Hickory 12 In diam
bears 82 1/2 w 12 lks.

3 Rich land, Timber Oak
Beech & Hickory & und
ergrowth Spice &c

Between Sections 13
& 18 of 1708 & 1708 R 2 E
33-3 white Oak 15 In diam
40.00 Set half mile post
from which a w Oak 14
In diam bears 28 2/3 w
5 lks and a beech 16
In diam bears 57 9/8
22 lks

851 50 an ash 15 Indian
80 00 set post for corner
of sections 12 & 13 of 13
or a 22 from which
a hick 15 Indian
beams or 18 & 51 lbs
and walnut 30
beams 810 or 16 lbs
2^d rate land Timber
Oak Beech &c under
growth Iron wood &
Spice &c

Between sections
7 & 12 of 17 & 19 or R
2 & 3 & 14 Indian
14 45 an ash 14 Indian
40 00 set half mile post
from which Buckeye
10 Indian beams or
35 or 17 lbs an Elm
18 Indian beams or
55 & 35 lbs
70 00 2 Sugar 12 Indian
80 00 set post for corner
of sections 10 & 12 of 17

10

Diary. Lewis Is. 8 6 M
32 Lin 100
32. State Land. Timber
Ash Oak & Beech &c
undergrowth Iron
wood & Spruce &c

3

V 5°50'

11

North Between R 384 E
17th sections 3836

11.8 Elm 36 hrs

40 00 Let $\frac{1}{2}$ Section from
from which a
Buck 7 S 8 E 30 hrs
200 12 at 51 N 25 hrs

48 50 Brook 10 hrs N

53 00 Sugar 20 hrs

80 00 See from corner Section

95 430 R 384 17th S

from which a Buck
10 hrs S 16 E 11 hrs & Elm

12 at 10 N 10 links

Over rock land
Sugar Ash Sugar
Walnut Buckeye

North Between R 384 E
17th sections 3830

2072 Elm 20 hrs

40 00 Buck 14 for $\frac{1}{2}$ Section
from which Sugar 13
S 20 E 27 & 20 N
40 N 20 links

5249 Intersect River

12. At post from which
an Elm 20 S 88 W 21
& Buckeye 8 N E 3 1/2

5641 At post on the north
Bank River from which
a Hackberry 7 S 70 W
6 & do 4 S 40 E 1/2

8000 At post corner of sections
24 & 25 T 17 N R 23 E
from which an Oak
48 S 75 W 25 & Hackberry
14 N 83 E 37 links
E as before

North Belvidere 3 & 4 E T 17 N
sections 19 & 24

4000 At 1/2 section post
from which a Buck 12
S 58 W 15 & Sugar 14 N
49 E 22 links

6294 Oak 18 links

8000 At post corner of section
13 & 24 T 17 N R 23 E from
which an Oak 9 S 37 E 1/2
Elm 18 S 50 W 1/2 links
E over as before

North Between R 384 E 13
T17 N Section 13418

18 29 Hackberry 18 by

40 00 Lit $\frac{1}{2}$ Section from
from which a Cherry
16 S 34 W 25 Hackberry
14 N 14 E 6 limbs

69 22 Walnut 18

80 00 Lit from corner of Section
12413 T17 N R 32 from
which a Hackberry 10 S
~~3 W 16 E 10 Hackberry 10 S~~
100 13 N 46 W 29 by
over land & timber
of before

North Between R 384 E T17 N
Section 13418

25 14 Sugar 24 by

40 00 Lit $\frac{1}{2}$ Section from
from which a Birch
10 N 86 W 15 Hackberry
8 N 32 E 15 limbs

66 00 W Oak 124

8000 Let part corner of section
17 1/2 R 3 E from
which a Buck 18 S 9 E
38 lbs & do 10 R 6 E 35-

Over good farming
land timbered as before

North between R 30 1/2 E T
17 1/2 sections 18 1/2

990 Buck 14 lbs

4000 Let 1/2 section part from
which an Elm 24 lbs
S 9 W 18 lbs & Buck
8 R 74 E 23 lbs

5742 Oak 22 lbs

7450 Buck 25 lbs N E

8000 Let temporary part

8220 Town corner

Over rolling land
timbered Buck, Sugar Ash
the under Spruce &c

November 1880

James H. Bond

V 5.55

North between R 48⁵⁵ & E

T17N Section 31 & 30

400 Brook 7th NW

2700 do 4 " NW

4000 Let 1/2 section from

from which a Hickory

20 S 20 W 31 Buckeye

12 N 1W 32 timber

4150 Brook 150 lbs NW

8000 Let port corner section

21 S 35 T17N R 42 from

which a Brook 1583 E

24 & do 12 N 40 W 29

Open broken land

Timber Buck Ash &c

North between R 48⁵⁵ & E

T17N Section 25 & 30

4000 Let 1/2 section from

from which a Brook

7812 54 Hickory 12

N 21 E 25 timber

6005 Sugar 18 lbs

6300 Brook 30 lbs NW

80 00 Lot 1000 corner section
16 00 248 25 17 N 4 E
from which a 1/2 acre
28 S 25 E 20 & Heekory
8 N 38 W 21
Over calling land
Lumber Beech bug as
aax & E

North Between 485 E
17 N Section 19 & 24

1055 Ash 30 but

40 00 Lot 1/2 section 100 from
which a 1/2 acre 8 S 3 E 19
& Heekory 8 S 84 W 15

80 00 Lot 1000 corner section
13 & 24 17 N 4 E

from which a 1/2 acre
7 S 17 W 15 & Ash
18 N 82 W 8 links

Over land
and Lumber as
before.

North Beavering R 485 E
T 17 N Section 138/18

4000 Lt 1/2 Section post
from which a Beech
12 S 14 N 30 & Sugar
18 N 31 E 18 links

5004. Hickory 18

5000 Lt post corner of Section
12 & 13 T 17 N R 42 from
which a Hickory 13
S 3 N 28 & 80 S
N 31 E 29 links
5 over level land
Pumpkin Oak Hickory
& under pine

North Beavering R 485 E
T 17 N Section 70/12

3508 Hickory 18

4000 Lt 1/2 Section post
from which a Beech
165 & 68 Hickory 100
58 N 27 links

V 6° 00

19.

North Between E 88° E
E 71 1/2 sections 31 & 36

310 Birch 14 hrs

4000 Let 1/2 section post
from which an ash
S 82° W 17 1/2 ad 6
North 6 links

4487 Hickory 18

8000 Let post coming section
25 & 36 71 1/2 N 75 E from
which a poplar 10 S 17
W 16 1/2 Birch 6 at 41
E 19 links

Over rich sand
Under Hickory ash
Elm & under ash 66

North Between E 50° E
71 1/2 sections 25 & 30

4000 Let 1/2 section post
from which an ash
7 S 16 W 14 1/2 ad 14 hrs
at 37 E 11 links

4912 Hickory 16 hrs

28000 Lot port corner of Section
24 & 25 Twp N R 3 E
from which a Oak
18 S. 7 E 25 & Beech
10 N 54 W 28 links
Cover good farming
land Sugar Beech Ash
Hickory Alder Spruce

North Between R 3 & 6 E Twp
7 or Section 19 & 24

2108 Hickory 20 hrs

4000 Lot $\frac{1}{2}$ Section port from
which a maple 20 S
8 N 26 E Oak 12 hrs
212 N 9 links

4650 Oak 24 hrs

8000 Lot port corner of Sect.
13 & 24 Twp N R 3 E
from which a Elm
6 S 9 E 7 hrs & Oak
8 N. 11. E 11 links

Cover good farming
as before

21

North Between R 685 E
T17r Section 13818

2900 Bush 20 hrs
4000 Set 1/2 Section from
which a Horn tree 8 hrs
S 12 N 25 & Elm 20
or 29 25 links

52.61 Hickory 18 hrs

80 00 Set post corner of Section
13813 T17r R 65 E from
which a Bush 10 hrs
S 14 E 28 & 20 10 N
12 N 23 links
Land & Timber
as before

North Between R 686 E
T17r Section 7812

426 W Oak 48 hrs
4000 Set 1/2 Section from
which a Bush 8 hrs
12 18 18 & 20 8 N 6
W 19 links

6313 Bush 16 hrs

7250 Brook 6 hrs W

8000 Sec 1000 corner of section
N. E. 1812 T 17 N R 15 E from
which a bush 80 h
S 53 W 21 links & 20 S h
S 86 E 5 links

Over land timber
as before

North Bellevue S 86 E
T 17 N R 15 E 681

2850 break 100 h N

4000 Sec 1/2 section 100 from
which a bush 8 h S 15 W
31 E h 4 & 7 & 10 N 32

8000 Am Honey Port Town
corner

Over good farming land
timber hick ash sugar
& under pine

November 3 1819
James H. McQuinn

N 6° 10' 23
North between R 760
17 sections 3/4 36

2620 Beech 20w

4000 ~~10~~ 1/2 section port from
which a Beech 8 S 80 E

24 lks & as 10 at 64 N 32

5475 Elm 28 lks

8000 ~~10~~ 1/2 section coming set

25 & 30 17 N 20 E

from which a Beech

10 S 81 W 8 lks & as 12

Int. N 66 E 26 links

5000 good farming
land Timber Beech
Ash Oak & under Spruce

North between R 687 & 7
17 sections 26 & 30

2257 W Oak 18 lks

4000 ~~10~~ 1/2 section port from
which a Beech 8 N 50 W

18 & as 12. S 30 E 27 lks

24
80 00 Sit post corner of Sect.
24 & 25 T 17 N R 5 E
from which a Beech
18 S 81 W 24 lks & do
8 N 52 E 12 links
Over land & Timber
as before

North between R 64 & 8
T 17 N Sections 19 & 24

30 40 Beech 24 lks
34 00 Creek 50 lks S W
40 00 Sit $\frac{1}{2}$ Section post from
which a Beech 13 N 70 W
13 lks & ash 4 S 55 E
9 links
62 18 Hickory 18 lks
80 00 Sit post corner of Section
13 & 24 T 17 N R 6 E from
which a Beech 10 S 14
W 25 lks & ash 12 lks
at 9 N 9 links
Over land &
Timber as before

North Beacon R 5872
T 17 N Section 13 & 18

1007 Buck 12 hrs

4000 Lt 1/2 section port from
which a Buck
S 88 N 9 & poplar 10 hrs
N 42 E 13 links

5365 Oak 20 hrs

8000 Lt port corner of sections
12 & 13 T 17 N R 6 E from
which an Elm 13 hrs
2 N 27 & ash 8 hrs
N 33 W 16 links
Brown met land

North Beacon R 647 E
T 17 N Section 9 & 12

1953 Buck 18 hrs

4000 Lt 1/2 section port
from which a Hornbeam
4 N 75 E & Buckeye 12
S 89 W 5 links

26

North Between R 107 E
 8000 ft to 10000 ft
 1012 Log of R 107 E
 from which a Buck
 14 S. 50. E 32 & Sugar
 13 W. N 12 N 28 W
 Good good farming
 land Timber Buck
 Sugar ash & Spice

North Between R 107 E
 1/2 Section 176
 3500 Buck 40 Chs W
 4000 1/2 Section post from
 which an Elm 12 S 17 W.
 10 Chs & Hornbeam 6 Chs
 N 20 W 10 Chs

53.47 Buck 24 Chs
 79 16 Town Corner

Good land & Timber as
 before November 4th 1819
 James H. McDonald

V 6°30'

27

North Between R 748 E & F
17 sections 31838

1832 Hickory 18

4000 ft 1/2 Section from
which a Beech 12
7 do 20 N 6 M 12 Lin ks

8000 Let from corner of Section

25836 F 7 M 7 E

from which a Beech 12

859 M 9 Lks & Do 16 M

N 42 E 22 Lin ks

over 900 farming
land Timber Beech Hickory
Oak &c

North Between R 748 E & F
17 sections 25830

4000 Let 1/2 Section from
which a Oak 16 M
N 31 M 5 Lin ks & Beech
10 M
beams 877 E 12
Lin ks

4562 W Oak 30 M

80 00 Set post corner of Sect
24 & 25 T17 R7 E
from which an ash
14 S 48 E 12 hrs & as
8 N 10 W 4 links
Over land and
timber as before

North Between R 7 & 8 E
T17 S Section 3 19 & 24

12 32 Hickory, 18 hrs

40 00 Set of 2 sections post from
which an Elm 14 S 16
E 17 hrs & as 14 hrs S 3 E
26 links

57 26 Elm 28 hrs

80 00 Set post corner of Section
13 & 24 T17 R7 E from
which an Ash 24 S 85 W
26 E Elm 24 S 45 E 4
links
Over land & timber
as before

North Betw²⁹ R 78 & 82
717 N Sections 13818

13 11 Ash 18 hrs

40 00 Let $\frac{1}{2}$ Section port from
which an Ash 30 hrs
S 11 E 11 Ch & Sugar 18
N 17 W 32 links

75 00 Buck 40 Ch W

80 00 Let port corner of Section
12 & 13 717 N R 72 from
which a Buck 14 S
16 E 36 links 20 8
N 18 E 13 links

~~3 over as before~~

North Betw²⁹ R 78 & 82
717 N Sections 7812

2572 Elm 18 hrs

40 00 Let $\frac{1}{2}$ Section port
from which a Oak
S 23 E 20 & Hickory
N 42 W 34 links

7181 Buck 16 hrs

8000 Let post corner of Sect.
 1412 T17 R7 E
 from which a line
 S 18 W 34 & Oak
 30 h or 23 E 17 links
 & over land to house
 as before

North Bottom R 788 E
 T17 R Sections 146

4000 Let 1/2 Section post
 from which a line
 12 S 49 E 19 h &
 Hickory 18 or 55 E 10

7960 Town corner

& over as before

November 5-1811

James McDonald

Nov 6/15

North Between R 8 & 9 E 117° 41' 8" S 31 & 36
4000 Set 1/4 Spot from which (31)
an Elm 15 ins D. bears
S 61° E 17 1/2 and a W Oak
18 ins D. bears ex 2 1/2
23 1/2
8000 Set post for corner of S 25
& 36 1/2 R 8 E from which
an ash 18 ins D. bears ex 39
C 10 1/2 inks Beech 8 ins D. bears
3 1/2 E 9 inks
3 1/2 rate land Timber
Beech Elm & ash under
Spice & Ironwood &c

North Between R 8 & 9 E 117° 41' 8" S 35
4000 Set 1/4 Spot from which a
top plan 24 ins D. bears ex
73 E 13 1/2 and a Beech 12 ins
D. bears S 28 E 10 inks
8000 Set post for corner of S 34
25 1/2 17 1/2 R 8 E from which
a Beech 8 ins D. bears ex
78 W 15 1/2 D 28 ins D
bears ex 34 E 30 inks
3 Land as above

North Between R 809 E 7170 1/2
32 Sections 19. & 24

8. 70 B. 18 in

40. 00 Set 1/4. Post from a line
B. 18 in N. 84 16 22 & D. 24
N 82 E. 22

76. 50 Elm 18

86. 00 Set p corner S. 13 & 24 T. 17 N. 18
from a B. 8 in N. 44 N. 15 L
+ Hornbeam 10 in N 60 E 20 L

At level land Soil good timber
Beech poplar ash & cedar
Spice &c

North Between R. 849 E 717 N. 130 1/2

13. 50 Sugar 24

48. 00 Set 1/4. Post from a B. 24 in
N. 57 E 13 + B. 10 in line S 83 W
12 L

55. 90 Hick. 18.

80. 00 Set post corner of 12 & 13
from a B. 30 in S 54 W. 14 &
ironed 4 in S. N 52 E 6 L
Below

North Between R. 849 E 717 W 57 & 12

5. 00 Branch 4 L. west

18. 86 Poplar 30 in

40. 00 Set 1/4. Post from which a line 12 in
N. 44 W. & Hick 12 in S 73 E 21 L

North Between R. 8 & 9 T. 17 & 18 S. 7 & 12
40.50 Creek 20 ft N. 10 33

41.20 Elm 18 ins
corner of Sect. 14 12 T. 17 N. R. 9 E.
180.00 S. post 1/2 Sugar 8. in N. 24 W. 20

& Buck 12 in S. 25 E. 100 ft

Level Land Timber, Hickory, Gum
poplar under Spick & C

North Between R. 8 & 9 T. 17 & 18 S. 1 & 6

41.90 Beech 18 ins D.

42.00 Branch 10 ft runs. N. W.

42.00 Set 1/4 S post from which a
a Beech 10 ins D. bears N. 50
W. 27 S and a Beech 6 ins D.
bears S 22 E 20 ft

41.30 Intersected the E. & W. line
Between Town 17 & 18 & R
8 & 9 E from which a Beech
4 ins D. bears N. 23 W. 12 ft
and an Elm 18 ins D. bears
S 20 W. 13 ft

2^d rate land Timber
Beech & Elm & under
Spice & prickly ash

North Belknap 4457 1858 81924

33.00 Beech 10 and 1
8000 Beech 10 and 1 from which

on Elm 4 and 1. Beam 86210
811232 in

54 40 W. Oak 48 and 1
8000 Beech 10 and 1 from which

at 18 8042 from which
N. 10 do 10 12 and 1 beam 818

13 M. 37 in
Land in about

South Belknap 4457 1858 81924

4 30 Magnon Road
91 00 Beech 4 10 and 1 beam 818

14 00 Do 5 10 and 1 beam 818
16 50 Do 3 10 and 1 beam 818

4000 Oak 1/4 10 and 1 beam 818
South 10 Beech 14 and 1 beam 818

26 1/2 54 M. 30 1/2 10 and 1 beam 818
26 1/2 54 M. 30 1/2 10 and 1 beam 818

65.00 Beech 6 10 and 1 beam 818
79.90 Beech 10 and 1 beam 818

8000 Beech 10 and 1 beam 818
at 18 8042 from which

at 18 8042 from which
at 18 8042 from which

at 18 8042 from which
at 18 8042 from which

at 18 8042 from which
at 18 8042 from which

Van 6°

North Between R 9x10 E. 71/74/78. 331 20
4000 Set 1/4 S post from which³⁵
a Beech 10 ins D. bears S 64
E. 76 and a Beech 24 ins
D. bears S 78 W. 40 E.
4500 Branch 6 1/2 runs E

59.39 An ash 19 ins D
4000 Set post for corner of S
2.5x36 71/74 R 9 E from
which a Hornbeam 5 ins
D. bears S 42 W. 6 E and a
Dogwood 5 ins D. bears
S 85 E. 23 E

3 Broken Rich land Tim
ber Oak sugar Beech
linden spire

North Between R 9x10 E. 71/74/78. 025

22.92 30
4000 W Oak 48 ins D.
Set post from which a
Beech 24 ins D. bears S
21 W. 12 E and a Beech 14
ins D. bears S 56 E. 28 E

8000 Set post for corner of S
2.5x71/78 R 9 E from which a
sugar 3 ins D. bears S 32 E 21 E
and a Beech 18 ins D. bears S 67 W
2 1/2 hicks

1/4 rate Buck land
single price

North between R 90 10 E T 17 4 12 S D 19 24

27. 68 Beech 14 ins D

40.00 Set 1/4 S post from which

a Beech 14 ins D. bears S 40

N. 24 1/2 and so ins D. bears

S 63 E. 32 1/2

58. 80 Beech 10 ins D

40.00 Set post for corner of S 13

4 24 T 17 28 R 9 E fence

which a Beech 12 ins D

bears S 53 E 3 1/2 and so.

6 ins D. bears S 28 6 5 W

26 links

Land as above.

1/8 and S. bears S 68 N. 20

27 9 E. 14 1/2 and a Beech

1/8 and S. bears S 68 N. 20

1/8 and S. bears S 68 N. 20

1/8 and S. bears S 68 N. 20

1/8 and S. bears S 68 N. 20

North Between $\Delta 90+10 \text{ E } 77+17 \text{ N } 8130+18$
40.00 Set $\frac{1}{4}$ Post from which
a Beech 16 ins D. bears
 $854 \text{ E. } 18 \text{ L and } 80 \text{ W. } 12$
ins D. bears 813
W. 13 L

59.83 Beech 16 ins D.
80.00 Set post for corner of
 $\Delta 12+13 \text{ T } 17 \text{ N } 819 \text{ E}$
from which a Beech
10 ins D. bears 874 W
 11 L Oak 18 ins D
bears $886 \text{ E } 16 \text{ L}$

Δ Land as above

North Between $\Delta 90+10 \text{ E } 77+17 \text{ N } 8130+18$
40.00 Set $\frac{1}{4}$ Post from which
a Beech 9 ins D.
bears $820 \text{ E } 10 \text{ L and a}$
Dogwood - 6 ins D bears
 $846 \text{ W. } 31 \text{ L}$

45.79 Crest 25 L runs N. W.

60.00 a Sugar 18 ins D.

80.00 Set post for corner of
 $\Delta 12+13 \text{ T } 17 \text{ N } 819 \text{ E}$ from

38

which is Beach 12 in
D. bears N 81 E. 16 fms
So 8 in D. bears S 83 W
11 links

3 Sand as above

North Between R 9 & 10 E. 11 & 11. 8 81 & 6
Beach 18 in D.
2400 set $\frac{1}{4}$ ft from
4000 which is Beach 10 in
D. bears N 64 E. 14 fms
So Beach 18 in D. bears
S 11 E 17 links

79.00 Intersects the East and West
line between Town 17 & 18
N 9 & 10 E. at the
Corner

N 80° 30'

39

North Between R 10 & 11 E
T 17 N Section 31 & 30

29 76 Cherry 20 hrs

40 00 to 1/2 Section post
from which a Buck

20 S 7 W 27 lks & Buck
eye shot 42 N 31 lks

58 45 Elm 14 hrs

81 00 Set post corner of Section

25 & 30 T 17 N R 10 E

from which a Hornbeam

8 S 10 W 40 lks & Hickory

7 N 27 E 3 links

Over rich land
timber layer all the
under place

North Between R 10 & 11 E
T 17 N Section 25 & 30

2 00 Creek 40 lks W

24 98 Buck 14 hrs

40 00 Set 1/2 Section post from

which a Buck 24 hrs N

75 W 20 lks & Buck eye 7

S 75 E 13 links

57 00 Creek 20 lks S W

40
7900 Brook 2082

8000 See post corner of Sect.
248 25 17 N R 10 E
from which an Elm
8892 6 hrs & 20 12 N
45 W 42 links
3 over as before

North between R 108 112
17 N Sections 17 & 24

550 Brook 4 hrs W

1995 Beech 14 hrs

4000 See 1/2 section post from
which a Buckeye 7 558 W
10 hrs & Sugar 13 hrs 8862
24 links

4828 Beech 15 hrs

8000 See post corner of Sections
13 & 24 17 N R 10 E from
which a Beech 10 hrs 8872
38 hrs & Sugar 12 hrs
79 W 25 links

3 over good farming
land Sugar Ash &c

North Between R 108/112
17th Section 134/8 24

4000 Set 1/2 Section port from
which a Sugar 7 hrs 55 L
16 lbs & Beech 20 hrs 14 L
5 links

6445 Elm 30 hrs

8000 Set port corner of section
124/13 17th R 108 from
which Beech 12 hrs 50
L 26 lbs & Oak 36 hrs
850 W 10 links
3 over can do as before

North Between R 108/112
17th Section 78/2

3000 Ash 24 hrs

4000 Set 1/2 Section port from
which a Beech 11 hrs 5
26 L 26 links & Cherry
12 hrs 11 L 15 links

5747 Hickory 14 hrs

42
85 00 Let port corner of Sect.
10 12 17 & 10 E
from which a Beech
12 hrs S 1 E 24 lbs &
an Ash 12 hrs S W
23 links

over good farming
land timber Beech ash
sugar & under stone

North between 10 & 11 E
17 & 18 sections 1 & 5

22.42 Beech 20 hrs

35 00 Brook 4 lbs E

40 00 Let 1/2 section port from
which a Beech 12 hrs
S 20 E 17 lbs & sugar 18
N 38 E 35 links

72 00 Brook 15 lbs N

80 00 Lawn corner

as before

November 10th 1819
James McDonald

North ^{6⁰⁰} Between R 11 & 12 E T 17 & 17
N. Sections 35 & 36

21.63 A Beech 10 In diam
40.00 Set $\frac{1}{4}$ post from which
A Beech 12 In diam bears
ex 35 E. & S and a Sugar
12 In diam bears
T 11 W 12 links
80.00 A Creek 25 S runs ex E.

in which post for corner
of sections 25 & 36 T 17
or R 11 & 12 E from which
a W. walnut 6 In diam
bears ex 88 W 32 S and
an ash 10 In diam bears
ex 85 E. 24 links

Rich land Timber
Ast Beech & Sugar
under Spice etc

North Between R 11 & 12 E T 17
& 17 Sections 25 & 30

14.68 An Elm 10 In diam
35.00 a Branch 6 In wide
40.00 set $\frac{1}{4}$ post from which
an Elm 10 In diam bears
D 88 W 4 S and a Sugar
10 In diam bears S 65 E
24 links

53.85 An Ash 40 In diam
80.00 Set $\frac{1}{4}$ Post for corner
of Sections 24 & 25 T 17 R
11 E from which a su-
gar 10 In diam bears S
68 W. 20 $\frac{1}{2}$ and a
Oak 15 In diam bears
S 66 E. 21 links

Rich land Timber
Ash, Oak, Sugar &
Beech & under Spice
& pawpaw &c

North Between R 11 & 12 E T 17
& 17 S Sections 19 & 24

37.65 An Ash 42 In diam
40.00 Set $\frac{1}{4}$ Post from which
a Beech 10 In diam bears
S 62 W. 30 $\frac{1}{2}$ and Do 14 In
diam bears S 73 E. 21 links

51.46 A Sugar 15 In diam
80.00 Set post for corner of Sec-
tions 13 & 24 R 11 E T 17 S
from which a Beech 5 In di-
am bears S 57 W. 8 $\frac{1}{2}$ and Do 12
In diam bears S 14 E 11 $\frac{1}{2}$
Rich land Timber Beech
Oak, Oak & Sugar & under
Spice Oak & pawpaw &c

North Between R 11 & 12 E T 17 & 17 E
 Sections 13 & 18
 23.86 A Poplar 20 in diam
 40.00 Set $\frac{1}{4}$ S post from which
 a sugar 6 in diam bears
 S 24 W. 7 L and a Lynn
 18 in diam bears S 44 E 24
 Sinks
 52.50 a Branch 10 L wide runs in E
 75.00 An Elm 42 in diam
 80.00 Set post for corner of Section
 12 & 13 R 11 E T 17 from
 which a Lynn 36 in diam
 bears S 36 W. 17 L and so
 10 in diam bears S 33 E 20 L
 Rich land Timber Ash
 Lynn Elm & sugar & under
 spice &c

North Between R 11 & 12 E T 17 & 17 E
 Sections 7 & 12
 2.10 Oak 48 in D
 40.00 Set $\frac{1}{4}$ S post from which
 a sugar 12 in D. bears
 N 42 E 36 L & sugar 10 in
 D. bears S 50 W. 28
 76.75 Sugar 12 in D
 80.00 Set post corner of S. 1 & 12
 T 17. N. R. 10 E from w. P. 24 in
 D. bears S 50 W. 19 L & sugar 5 in D 16 L
 as above

⁴⁶ North Between R. 10 & 12 S. 17 T. 106
 39 42 Beech 18 in D.
 4000 Set $\frac{1}{4}$ post from which
 a Beech ^{10 in D} bears S 79 N 10 L
 and a Lyne 14 in D. bears
 S 64 E 18 L
 42. 30 Sugar 14 in D.
 76. 11 Set post for corner Town 170
 18 N. R. 11 & 12 E. S. 6 31 & 35
 from which a Sugar Birch
 bears N 43 E 18 L. & Sugar
 12 in D bears S 57 N 38 L
 as above Nov 10th 1819

West On a true line Between T 17
 & 18. R. 11 E. Section 36
 4000 Set $\frac{1}{4}$ post from which an
 Ash 20 in D. bears N 79 N.
 10 L and a maple 14 in
 D. bears N 71 E. 17 Links
 00 Set post for corner of
 Section 35 & 36 T 18. R. 11 E.
 from which a Bur oak 30 in
 D. bears S 36 E. 6 L and a sugar
 8 in D. bears N 30 E. 23 L

West Between T 17 & 18. R. 11 E. S. 2 & 35
 4000 Set $\frac{1}{4}$ post from which an
 Ash 4 in D. bears S 68 N.
 12 L and an Elm 20 in D.
 bears S 73 E. 13 links

Corrected

2

James H. Mc

100
38
138
140
148

123